



Lark 推送配置


1.创建流程

1.1 在 Lark电脑端，进入您想要接收告警的群聊, 点击设置



1.2 点击添加机器人, 选择自定义机器

选择 自定义机器人，设置一个名字（如“AlertBots”），点击底部添加。



Add bot



Q Search



Custom Bot

Push Custom Service Messages to Lark Via webh...



Base Assistant

Base Assistant



Attendance

For efficient leave and attendance management



Meegle

Meegle is a professional project management pla...



Lark Customer Support

Lark Customer Support



Approval

A simple, efficient, and open approval tool



Lark Forms

A simple but powerful tool to manage your survey...



Lark Help Center

Click larksuite.com/hc and view Lark help docs.



OKR

Turn strategy into measurable results



Announcement

Important broadcasting for all staff, special notifi...



< Back



Custom bots are used to send messages from external services to groups via webhook. Specify the following information to add the bot.[View Help](#)

Bot avatar *

☒ Use default avatar ☐ Upload avatar



Bot name *

AlertBots

9/32

Description *

Push Custom Service Messages to Lark Via webhook.

49/256

Cancel

Add

1.3 A获取 Webhook:

添加成功后，系统会弹出一个 Webhook 地址。

点击右侧的 复制 按钮。

[< Back](#)×

Webhook URL

`https://open.la[REDACTED]2/hook/b9bc65f6-ae88-4248-af78-90631c4e30f4`Copy

ⓘ Be sure to keep your webhook URL secure. Please keep your webhook URL secure. Do not disclose it on GitHub, blogs, or any public sites to prevent any unauthorized use.

Security settings

☐ Set keywords ⓘ

☐ Set IP whitelist ⓘ


☐ Set signature verification ⓘ

Settings

☐ Only group owner and the member who added the bot can edit or remove this bot

Finish

2.复制内容到平台



3.完成配置，测试推送